

# Key to the Indian and Burmese species of Arisaema

D. Chatterjee

Indian Botanic Garden, Sibpur, Calcutta

Bulletin of the Botanical Society of Bengal

v:8 118-139 July 30, 1951

1. Leaflets 3:
  2. Leaflets with distinct petiole:
    3. Appendix straight or gently curved:
      4. Appendix clavate, glabrous ----- *A. petiolulatum*
      4. Appendix plumose or feather-like ----- *A. album*
    3. Appendix bent and tapering:
      5. Margin of leaflets with dark colored lining ----- *A. speciosum*
      5. Margin of leaflets without any special lining ----- *A. galeatum*
  2. Leaflets sessile or subsessile:
    6. Leaflets broadly ovate or roundish:
      7. Leaf only one:
        8. Spathe obovate, deep purple:
          9. Petiole and peduncle verrucose ----- *A. verrucosum*
          9. Petiole and peduncle glabrous:
            10. Leaflets 3-5 cm. wide ----- *A. sikkimense*
            10. Leaflets 9-13 cm. wide:
              11. Spadix 15-18 cm. long ----- *A. costatum*
              11. Spadix 20-30 cm. long ----- *A. utile*
          8. Spathe lanceolate:
            12. Appendix stout, included, tip obtuse ----- *A. monbeigii*
            12. Appendix slender, exserted, tip acuminate ----- *A. prazeri*
        7. Leaf usually two, (solitary in male *A. pradhanii*):
          13. Spathe deeply colored, recurved, and hooded:
            14. Hood very large, appendix about 30 cm. ----- *A. pradhanii*
            14. Hood large, appendix less than 20 cm. ----- *A. griffithii*
          13. Spathe erect or suberect, appendix shortly exserted ----- *A. propinquum*
        6. Leaflets elongate ovate or narrowly elliptic:
          14. Appendix short, clavate ----- *A. wattii*
          14. Appendix long, filiform ----- *A. intermedium*
      1. Leaflets more than 3:
        15. Leaf pedate compound (not digitate):
          16. Central leaflet distinctly petiolulate:
            17. Lamina of central leaflet 20-25 cm. long ----- *A. decipiens*

17. Lamina of central leaflet 10-15 cm. long:
- 18. Leaflets five, plant with rhizome ----- *A. rhizomatum*
  - 18. Leaflets 10-15, plant with corm ----- *A. tortuosum*
16. Central leaflet sessile or subsessile, spathe very short ----- *A. flavum*
15. Leaf palmate compound (all leaflets radiating from one point):
- 19. Leaflets usually 5-7:
    - 20. All leaflets sessile including central leaflet:
      - 21. Appendix tapering, acute:
        - 22. Spathe with long tail, fruit ribbed ----- *A. jacquemontii*
        - 22. Spathe without long tail, fruit not ribbed ----- *A. murrayi*
      - 21. Appendix clavate or narrowly clavate, obtuse:
        - 23. Limb of spathe dilated into two auricles:
          - 24. Spadix more or less cylindrical throughout - *A. nepenthoides*
          - 24. Spadix dilated below, narrow and bent above *A. auriculatum*
        - 23. Limb of spathe not dilated into auricles:
          - 25. Appendix abruptly swollen near the base ----- *A. wightii*
          - 25. Appendix not abruptly swollen near base ----- *A. wardii*
      - 20. Leaflets petiolulate, central one distinctly so:
        - 26. Spathe limb dark purple, gradually tapering into a long tail *A. barnsii*
        - 26. Spathe limb dark green, suddenly ending in a short tail ---  
*A. tylophorum*
  - 19. Leaflets 7-17:
    - 27. Spathe limb erect or suberect:
      - 28. Appendix clavate, obtuse:
        - 29. Apex of leaflet long filiform ----- *A. consanguineum*
        - 30. Apex of leaflet acute:
          - 31. Apex tip spinescent----- *A. echinatum*
          - 31. Apex tip glabrous:
            - 32. South India ----- *A. leschenaultii*
            - 32. Khasi Hills ----- *A. fraternum*
        - 29. Appendix tapering, tip acute or globulate:
          - 33. Spathe with long tail:
            - 34. Appendix tip smooth, glabrous ----- *A. erubescens*
            - 34. Appendix tip rugulose ----- *A. concinnum*
          - 33. Spathe with short tail:
            - 35. Leaflets slender narrow 8-10 cm. long ----- *A. exile*
            - 35. Leaflets medium lanceolate 16-20 cm. long:
              - 36. Appendix 3-5 cm. gradually tapering, acute ---  
*A. attenuatum*
              - 36. Appendix 2-3 cm. ending in obtuse point *A. peltatum*
        - 27. Spathe limb recurved or hooded:

37. Spathe cylindrical with a hooded limb:

  - 38. Hood veil-like with a lanceolate opening ----- *A. psittacus*
  - 38. Hood cuculate with an obcordate opening ----- *A. translucens*

37. Spathe broad with a recurved limb:

  - 39. Limb with constriction near base, appendix tapering ---  
*A. sarracenioides*
  - 39. Limb without constriction, appendix clavate -- *A. tuberculatum*

Transcribed by G. R. Stilwell, Jr.  
March 15, 1996